

# INDEX MAPS.

## T11N R.6W 2<sup>nd</sup> Mer.

	189		189		188		188		188		187	
191	6	208	5	203	4	200	3	197	2	194	1	187
	207		207		202		200		197		194	
191	7	207	8	202	9	199	10	196	11	193	12	187
	206		206		202		199		196		193	
190	18	206	17	202	16	199	15	196	14	193	13	186
	205		205		201		199		196		193	
190	19	205	20	201	21	198	22	195	23	192	24	186
	204		204		200		198		195		192	
190	30	204	29	201	28	198	27	195	26	192	25	186
	204		203		201		197		194		191	
				201								
189	31	203	32		33	197	34	194	35	191	36	185
	183-185		183-185		183-185		183-184		183-184		184	

## T12N R.6W 2<sup>nd</sup> Mer.

	214		214		214		213		213		213	
216	6	240	5	233	4	229	3	225	2	221	1	212
	240		239		232		228		241		220	
216	7	239	8	232	9	228	10	224	11	220	12	212
	238		238		232		228		224		219	
215	18	238	17	232	16	227	15	223	14	219	13	211
	237		237		231		227		223		219	
215	19	236	20	231	21	227	22	223	23	218	24	211
	236		235		230		226		222		218	
215	30	235	29	230	28	226	27	222	26	217	25	211
	234		234		230		225		222		217	
215	31	234	32	229	33	225	34	221	35	217	36	210
	210		210		209		209		209		209	

The figures on the lines refer to the page.

183

Township N. 11. North of Range N. 6 West of the 3<sup>rd</sup> Mer. Ind  
Ch. 11.

### South Boundary.

East On a Random line on the South Boundary of Sec. 31.  
T. N. 11. S. R. N. 6. W.

36 00 To a temp. post for the cor. of 1/4 Sec.  
65 00 To a Brook 5. links wide; Course —  
76 00 Set temp. post cor. of Sec. 31. & 32.  
Land level & good; Timber. Oak. &c.

---

East On a Random line on the South Boundary of Sec. 32.  
T. N. 11. S. R. N. 6. W.

5 00 To a Brook 20. links wide; Course S. W.  
40. 00 To a post for the cor. of 1/4 Sec.  
55. 00 To a Brook 200. links wide; Course S. W.  
78. 00 To a do " " " " S. W.  
80. 00 To a post on the East bank of the Brook; no timber.  
Bottom Land. Timber Sugar. Elm. Ash. &c.

---

East On a Random line on the South Boundary of Sec. 33  
T. N. 11. S. R. N. 6. W.

20. 00 To a Brook — links wide; Course S.  
35. 00 Touch the Brook  
40 00 To a post for the cor. of 1/4 Sec.  
80. 00 " " " " " " of Sec. 33. & 34.  
Land & Timber. same as on the last mile

---

East On a Random line on the South Boundary of Sec. 34.  
T. N. 11. S. R. N. 6. W.

40. 00 To a post for the cor. of 1/4 Sec.  
80. 00 To a " " " " " " Sec. 34. & 35.  
Land flat; Timber. Birch Elm & Maple.

---

East On a Random line on the South Boundary of Sec. 35.  
T. N. 11. S. R. N. 6. W.

## T. N 11. S. R. N 6. W 2nd Mer. Ind.

40.00 Set a post for the cor. of  $\frac{1}{4}$  Sec.  
 80.00 Set a post for the cor. of Sec. 35. & 36.  
 Land good. Timber Oak. &c. &c.

East On a Random line on the South Boundary of Sec. 36.  
 T. N 11. S. R. N 6. W.

40.00 Set a temp.<sup>l</sup> post for the cor. of  $\frac{1}{4}$  Sec.  
 80.00 Struck the temp.<sup>l</sup> post of Town. 10. 41. in R. 5 & 6 W.  
 Land & Timber same as on the last mile. From which a  
 Poplar 18 in diam. 327 1138 W. to Buck. 30. N 78 E. 52 W. dist

West On the true line on the S. Boundary of Sec. 36.  
 T. N 11. S. R. N 6. W.

40.00 Set a post for the cor. of  $\frac{1}{4}$  Sec. from which a  
 W. Oak 9. in diam. bears N 50. W. 1 link dist. In  
 " No 24 " " " S. 46. E. 14 " "

80.00 Set a post for the cor. of Sec. 35. & 36. from which an  
 W. Oak 36. in diam. bears S. 48. W. 3. links dist. In  
 Buck 14. " " " N 42. W. 21. " "

West On the true line on the South Boundary of Sec. 35.  
 T. N 11. S. R. N 6. W.

40.00 Set a post for the cor. of  $\frac{1}{4}$  Sec. from which a  
 Logwood 5. in diam. bears N 44. W. 28. links dist. In  
 Ash 36. " " " N 70. E. 35. " "

80.00 Set a post for the cor. of Sec. 34. & 35. T. N 11. S. R. N 6. W.  
 from which an Ash 8. in diam. bears S. 14. W. 24. links dist.  
 and a No. 16. " " " N 59. E. 13. " "

West On the true line on the South Boundary of Sec. 34.  
 T. N 11. S. R. N 6. W.

40.00 Set a post for the cor. of  $\frac{1}{4}$  Sec. from which an  
 W. Oak 14. in diam. bears S. 74. W. 32. links dist. In  
 Maple 8. " " " S. 57. E. 21. " "

T. N<sup>o</sup> 11. S. R. N<sup>o</sup> 6. W. 2<sup>nd</sup> Mer. Ind.<sup>2</sup>

80.00 Set a post for the cor. of Sec. 33. & 34. from which a  
 Buck 16. in diam. bears S. 78. W. 22 links dist. &  
 Hickory 10. " " " N 75. E. 33. " "

West On the true line on the South Boundary of Sec. 33.  
 T. N<sup>o</sup> 11. S. R. N<sup>o</sup> 6. W.

40.00 Set a post for the cor. of 1/4 Sec. from which a  
 W. Oak 30. in diam. bears S. 11. W. 14. links dist. &  
 Buck 24. " " " N 69. E. 21. " "

80.00 Set a post for the cor. of Sec. 32. & 33. on the Bank of the  
 route from which a  
 Hackberry 18. in diam. bears N 65. W. 200. links dist. &

West On the true line on the South Boundary of Sec. 32.  
 T. N<sup>o</sup> 11. S. R. N<sup>o</sup> 6. W.

40.00 Set a post for the cor. of 1/4 Sec. from which a  
 Box Elder 15. in diam. bears S. 52. W. 57. links dist. &  
 Thorn Bush 6. " " " N 52. E. 9. " "

80.00 Set a post for the cor. of Sec. 31. & 32. from which a  
 Walnut 16. in diam. bears S. 24. W. 17. links dist. &  
 Hickory 12. " " " N 52. E. 38. " "

West On the true line on the South Boundary of Sec. 31.  
 T. N<sup>o</sup> 11. S. R. N<sup>o</sup> 6. W.

40.00 Set a post for the cor. of 1/4 Sec. from which a  
 W. Oak 16. in diam. bears S. 66. W. 7. links dist. &  
 W. Oak 24. " " " S. 78. E. 29. " "

80.00 To the post for the cor. of Towns 10. & 11. S. R. N<sup>o</sup> 6. & 7. W.

## East Boundary.

North On the East Boundary of Sec. 36. T. 11. S. R. 6. W.

40.00 Set a post for the cor. of 1/4 Sec. from which a  
 W. Oak 12. in diam. bears S. 20. E. 30. links dist. &



## T. No 11. N. B. N. C. M. 2nd Mer. Ind.?

65.00 To a Buck 18 in diam. bears N 37. E. 16 links dist.  
 80.00 To a post for the cor. of Sec. 25. & 36. T. 11. N. B. N. C. M. from  
 which a Maple 16 in diam. bears N 10. E. 7 links dist. also  
 Ash 16. " " " S. 41. W. 23. " "  
 This mile is met Bottom Land Timber Ash Elm & Birch.

North On the East Boundary of Sec. 25. T. 11. N. B. N. C. M.  
 20.25 To a Sugar 18 in diam. stands in the line  
 33.00 To a Buck 10 links wide Course S. M.  
 40.00 To a post for the cor. of 14 Sec. from which a  
 Hickory 14 in diam. bears S. 25. E. 13 links dist. also  
 S. 12. " " " N 2. W. 44. " "  
 80.00 To a post for the cor. of Sec. 24 & 25. from which an  
 Elm 16 in diam. bears S. 18. E. 24 links dist. also  
 Ash 5. " " " N 64. E. 6. " "

North On the East Boundary of Sec. 24. T. 11. N. B. N. C. M.  
 13.00 To a Spring Course M.  
 36.00 To a Buck 4 links wide. Course M.  
 38.00 To a Spring Course S. M.  
 40.00 To a post for the cor. of 14 Sec. from which a  
 Buck 30 in diam. bears S 51. W. 12 links dist. also  
 W. Oak 30. " " " N 18. W. 43. " "  
 54.00 To a Spring Course M.  
 65.00 To a S. " M.  
 80.00 To a post for the cor. of 13. & 24. from which a  
 Buck 6 in diam. bears S. 4. E. 3 links dist. also  
 S. 30. " " " N 6. W. 28. " "

North On the East Boundary of Sec. 13. T. 11. N. B. N. C. M.  
 4.00 Buck 75 links wide. Course M.  
 40.00 To a post for the cor. of 14 Sec. from which a

Buckeye 7. in diam. bears S. 42. W. 20 links dist. du  
 Buckberry 14. in diam. bears N 69. E. 29. " "  
 55. 00 Fetched the Centre.  
 70 00 To a Buck 20. links wide, Course S. W.  
 80 00 To a spot for the cor. of Sec. 12. & 13. T. 11. N. R. N. 6. W.  
 Gum which a Buckeye 15. in diam. bears S. 25. W. 32. links dist. du  
 Hickory 18. " " " N 39. E. 41 " "

North On the East Boundary of Sec. 12. T. 11. N. R. N. 6. W.  
 16. 00 To a Buck 20. links wide, Course S. E.  
 40. 00 To a spot for the cor. of 1/4 Sec. Gum which a  
 Buckeye 15. in diam. bears S. 18. E. 14 links dist. du  
 Buckberry 24. " " " N 75. W. 20. " "  
 53. 50 To an Oak 36. in diam. stands in the line  
 80. 00 To a spot for the cor. of Sec. 1. & 12. Gum which an  
 Elm 6. in diam. bears S. 15. E. 14 links dist. du.  
 Cherry 7. " " " N 31. W. 9. " "

North On the East Boundary of Sec. 1. T. 11. N. R. N. 6. W.  
 22. 25 To a Buck 8. in diam. stands in the line.  
 30. 00 To a Brook 3. links wide, Course W.  
 35. 00 To a No 5. " " " S. W.  
 40. 00 To a spot for the cor. of 1/4 Sec. Gum which a  
 Buck 16. in diam. bears N 13. E. 18 links dist. du  
 No 16. " " " S. 5. E. 33. " "  
 80 00 To a temp. spot cor. of T. 11. & 12. N. R. N. 6. W.

### North Boundary.

West On the South Boundary of Sec. 36. T. 12. N. R. N. 6. W.  
 35. 00 To a Brook 5. links wide Course S. W.  
 39. 00 " " No 9. " " " S. W.  
 40. 00 To a spot for the cor. of 1/4 Sec. Gum which a  
 Buck 16. in diam. bears S. 62. E. 37 links dist. du



T. N 11. S R. N 6. W. 3rd Mer. Ind.

189

W. Oak 20. in diam. bears S. 44 W. 5. links dist. & a  
 " Do 15. " " " N 17. E. 22. " "

West On the South Boundary of Sec 32 T. 12. N R. 6. W.  
 4. 00 To a Brook 4 links wide. Course N.  
 40. 00 Set a spot for the cor. of 1/4 Sec. from which a  
 Hickory 9. in diam. bears N 42. E. 15. links dist. & a  
 W. Oak 16. " " " S. 48. W. 36. " "  
 74. 50 To a Brook 20 links wide. Course S.  
 78. 50 " " Creek 50. " " " S.  
 80. 00 Set a spot for the cor. of Sec. 31. & 32. from which an  
 Elm 14. in diam. bears N 8. E. 16. links dist. and a  
 Hickory 12. " " " S. 7. E. 20. " "  
 Land & Timber same as in the last mile.

West On the South Boundary of Sec 31. T. 12. N R. 6. W.  
 00 50 To a Creek - links wide; course N. E.  
 3. 00 " " Do " " " " S. E.  
 40 00 Set a spot for the cor. of 1/4 Sec. from which an  
 W. Oak 18. in diam. bears North 31. links dist. & a  
 " Do 20. " " " N. 87. W. 40. " "  
 75. 00 Tell 3. chains north of the temp. spot cor. of Towns 11. & 12  
 North Ranges 6. & 7. West. from which a  
 W. Oak 12. in diam. bears N 65. E. 20. links dist. & a  
 B. Oak 14. " " " S. 31. W. 13. " "  
 Land on this mile is level. & heavily timbered with Oak, &c.

West Boundary

North On the East Boundary of Sec 36. T. 11. N. R. 7. W.  
 28. 25 To a Hickory 12. in diam. stands in the line  
 40. 00 Set a spot for the cor. of 1/4 Sec. from which a  
 Hickory 12. in diam. stands N. 54. W. 18. links dist. & a  
 Do 15. " " " S. 43. E. 46. " "



T. 11. N. R. 16. W. 2<sup>nd</sup> Mer. Ind.

61. 40 To a M. Oak 24 in diam. stands in the line  
 66. 00 To a Brook 4 links wide; course N W.  
 80. 00 Set a post for the cor. of Sec. 25. & 36. from which a  
 M. Oak 48 in diam. bears S. 88. E. 24 links dist. In  
 " No 16. " " " S. 77. W. 52. " "  
 Land & Timber. same as on the last miles.

- North On the East Boundary of Sec. 25. T. 11. N. R. 7. W.  
 15. 00 To a Brook 3 links wide; course N W.  
 40. 00 Set a post for the cor. of 1/4 Sec. from which a  
 M. Oak 30 in diam. bears S. 53. W. 26 links dist. Low  
 other Timber. near  
 67. 25 To a M. Oak 30 in diam. stands in the line  
 78. 00 To a Brook 20 links wide course S. W.  
 80. 00 Set a post for the cor. of Sec. 34 & 35. from which a  
 M. Oak 50 in diam. bears West 2. links dist. In  
 Brook 24 " " " S. 80. E. 27. " "  
 This mile is good level Land. Timber Oak, Sugar, Ash, &c.

- North On the East Boundary of Sec. 24. T. 11. N. R. 7. W.  
 40. 00 Set a post for the cor. of 1/4 Sec. from which are  
 M. Oak 12 in diam. bears N. 47. W. 6 links dist. Low  
 " Ash 18. " " " S. 30. E. 14 " "  
 80. 00 Set a post for the cor. of Sec. 13. & 24. from which are  
 Elm 24 in diam. bears N. 58. E. 6 links dist. In  
 Brook 12. " " " S. 2. W. 36. " "  
 This mile is wet & swampy Land.

- North On the East Boundary of Sec. 13. T. 11. N. R. 7. W.  
 10. 00 To a Brook 5 links wide. course W.  
 12. 50 " " Brook 50. " " " S. W.  
 18. 00 " " No 50 " " " S. E.  
 28. 00 " " No " " " " S. W.



- 40 00 Set a post for the cor. of  $\frac{1}{4}$  Sec. from which a  
Maple 18. in diam. bears West 13. links dist. & a  
W. Oak 18. " " S. 64. E. 20. " "
80. 00 Set a post for the cor. of Sec. 12. & 13. from which a  
Sugar 10. in diam. bears S. 66. E. 22. links dist. and a  
W. Oak 30. " " " S. 57. W. 40. " "
- This mile is met Bottom Land. Timber Ash. Elm. Maple. &c

- North On the East Boundary of Sec. 12. T. 11. S. R. N. 7. M.  
35. 50 To a W. Oak 36. in diam. stands in the line  
40. 00 Set a post for the cor. of  $\frac{1}{4}$  Sec. from which a  
W. Oak 6. in diam. bears N. 82. W. 10. links dist. & a  
W. Oak 13. " " " S. 82. E. 27. " "
80. 00 Set a post cor. of Sec. 1. & 12. from which a  
Maple 16. in diam. bears S. 45. W. 12 links dist. & a  
W. Oak 7. " " " S. 75. E. 14. " "
- Land in this mile is level; Timber Oak. &c. &c.

- North On the East Boundary of Sec. 1. T. N 11. S. R. N. 7. M.  
110. 00 Set a post for the cor. of  $\frac{1}{4}$  Sec. no timber near.  
80 00 Set a temp<sup>l</sup> post for the cor. of Towns 11. & 12. S. R. N. 6 & 7. M.  
May 1<sup>st</sup> 1811.

## Subdivisions.

Apr. 9<sup>th</sup> 1814

- North Between Sec. 35. & 36. T. 11. S. R. N. 6. M.  
23. 00 To a locust 60. links wide across M.  
40. 00 Set a post for the cor. of  $\frac{1}{4}$  Sec. from which a  
W. Oak 36. in diam. bears S. 35. W. 11. links dist. & a  
Buck 18. " " " S. 58. E. 32. " "
78. 00 To Bel River across S. M.  
80 00 Set a temp<sup>l</sup> post for the cor. of Sec. 25. 26. 35. & 36.

- East On a Boundary line between Sec. 25. & 36. T. 11. S. R. N. 6. M.

T. S. 11. S. W. S. 6. M. 2<sup>nd</sup> Mer Ind.

West On a true line between Sec. 25. & 26. T. 11. S. W. S. 6. M.  
 40.00 Get a post for the cor. of 1/4 Sec. from which a  
 Buck 9. in diam. bears N 25. E. 17. links dist. da  
 Hick. 15. " " " S. 35. E. 22. " "  
 79.00 To the River. cor. in the river for Sec. 25. 26. 35. & 36.  
 This mile is middling Land; Timber. Sugar. Oak. Poplar. &c.

North Between Sec. 25. & 26. T. 11. S. W. S. 6. M.  
 10.00 To Gal River 200. links wide; Course S. E.  
 40.00 Get a post for the cor. of 1/4 Sec. no timber near.  
 45.00 To the River Course S. M.  
 80.00 Get a temp. post for the cor. of Sec. 23. 24. 25. & 26.  
 Land on this mile is Bottom & overflown Timber. Sycamore  
 Bottomwood &c. &c.

East On a Random line between Sec. 24. & 25. T. 11. S. W. S. 6. M.

West On the true line between Sec. 24. & 25. T. 11. S. W. S. 6. M.  
 40.00 Get a post for the cor. of 1/4 Sec. from which a  
 Buckeye 9. in diam. bears S. 78. M. 10. links dist. and a  
 Sp. 10. " " " East 8. " "  
 60.50 To Gal River Course South  
 80.00 Get a post for the cor. of Sec. 23. 24. 25. & 26. from which an  
 Elm 24. in diam. bears N 72. E. 26. links dist. da  
 M. Oak 12. " " " S. 10. E. 50. " "  
 Land Bottom & overflown Timber. Sycamore. Elm &c.

North Between Sec. 23. & 24. T. 11. S. W. S. 6. M.  
 20.00 To a track 25. links wide; Course S. E.  
 25.00 " " Sp. " " " " S. M.  
 32.00 " " Sp. " " " " S. E.  
 40.00 Get a post for the cor. of 1/4 Sec. from which a  
 Honey Locust 24. in diam. bears N. 75. M. 25. links dist.

T. N. 11. S. R. N. 6. W. 2<sup>nd</sup> Mer. Ind.

80.00 and an Elm 9. in diam. bears S 65. E. 50. links dist. 60.  
 Set a temp. post for the cor. of Sec. 13. 14. 23. & 24.  
 Land on this mile is wet & swampy. Timber Elm Maple &c

East On a Random line between Sec. 13. & 24. T. N. 11. S. R. N. 6. W.  
 10.00 The Swamp became impassable. traveled around to the  
 cor. on the range line & run N  
 West Between Sec. 13. & 24. On the true line T. N. 11. S. R. N. 6. W.  
 10.00 To Elk River where S. E. had to quit on account of the swamp.

North Between Sec. 13. & 14. T. N. 11. S. R. N. 6. W.  
 40.00 Set a post for the cor. of 1/4 Sec. from which a  
 Birch 20. in diam. bears N 26. E. 18. links dist. 20  
 S 18. " " " West 11. " "  
 52. 50 To a Birch 15. in diam. stands in the line  
 80.00 Set a temp. post for the cor. of Sec. 11. 12. 13. & 14.  
 Land on this mile is broken; Timber Birch & Oak

East On a Random line between Sec. 12 & 13. T. N. 11. S. R. N. 6. W.  
 West On the true line between Sec. 12 & 13. T. N. 11. S. R. N. 6. W.  
 40.00 Set a post for the cor. of 1/4 Sec. from which a  
 Birch 24. in diam. bears N 78. E. 15. links dist. 20  
 Gum 12. " " " N 81. W. 37. " "  
 80.00 Set a post for the cor. of Sec. 11. 12. 13. & 14. from which an  
 Elm 18. in diam. bears S 20. E. 32. links dist. 20  
 Sycamore 12. in " " S. 30. W. 26. " "  
 Land pretty good; Timber. Oak. Birch. Sugar. Poplar. &c.

North Between Sec. 11. & 12. T. N. 11. S. R. N. 6. W.  
 40.00 Set a post for the cor. of 1/4 Sec. from which a  
 Birch 20. in diam. bears S 62. W. 16. links dist. 20  
 S 15. " " " N 78. E. 25. " "  
 80.00 Set a temp. post cor. of Sec. 1. 2. 11. & 12.  
 Land wet & flat. Timber Birch & Oak.

		Apr. 10 <sup>th</sup> 1814
East	On a Random line between Sec. 1. & 2. T. 11. S. R. S. 6. M.	
West	On the true line between Sec. 1. & 2. T. N. 11. S. R. S. 6. M.	
25.00	To a Point 15. lands wide. Course South	
40.00	Set a Post for the cor. of 1/4 Sec. Gum which a Buck 20. in diam. bears N. 25. W. 17. links dist. 20 No 18. " " " S. 25. W. 12. " "	
82.00	Set a Post for the cor. of Sec. 1. 2. 11. & 2. Gum which are Ash 12 in diam. bears S. 20. E. 22. links dist. 20 Buck 15. " " " N. 37. W. 37. " " Land broken. Timber Buck, Oak, &c.	
North	Between Sec. 1. & 2. T. 11. S. R. S. 6. M.	
40.00	Set a Post for the cor. of 1/4 Sec. Gum which a Walnut 15. in diam. bears S. 33. E. 31. links dist. 20 B. Oak 36. " " " N. 20. W. 34. " "	
93.00	Intersect the North Boundary & fell 300. links West of the Post cor. of Sec. 35. & 36. T. 12. S. R. S. 6. M. Set a Post for the cor. of Sec. 1. & 2. Gum which are Chinwood 10. in diam. bears N. 10. W. 15. links distance an Elm 12. " " " S. 55. E. 50. " " Land on the East 1/2 mile is broken; Timber. Buck, Oak, &c.	
North	Between Sec. 34. & 35. T. N. 11. S. R. S. 6. M.	
25.50	To East River corner M.	
40.00	Set a Post for the cor. of 1/4 Sec. Gum which a Buck 20. in diam. bears S. 35. W. 25. links dist. 20 No 18. " " " N. 53. W. 9. " "	
80.00	Set a temp <sup>l</sup> Post for the cor. of Sec. 26. 27. 34. & 35. Land on this mile is met & flat. Timber. Buckeye Gycamore, Elm. Maple &c.	
East	On a Random line between Sec. 26. & 35. T. 11. S. R. S. 6. M.	

West	On a true line between Sec. 26. & 35. T. N. 11. S. R. S. 6. W.
40.00	Set a post for the cor. of 1/4 Sec. from which a Buck 22. in diam. bears S. 75. W. 21. links dist. & a Sto 15. " " " S. 62. E. 38. " "
80.00	Set a post for the cor. of Sec. 26. 27. 34. & 35. from which a Buck 15. in diam. bears S. 32. W. 15. links dist. & a Box Elder 15. in " " S. 78. E. 24. " " Land flat & met. Timber. Maple. Elm. Sycamore &c.
North	Between Sec. 26. & 27. T. N. 11. S. R. S. 6. W.
40.00	Set a post for the cor. of 1/4 Sec. from which a Buck 24. in diam. bears N 73. E. 15. links dist. & a Sto 12. " " " S. 20. W. 55. " "
80.00	Set a temp <sup>l</sup> post for the cor. of Sec. 22. 23. 26. & 27. Land on this side is flat & met. Timber Oak. Hickory &c.
East	On a Random line between Sec. 23. & 26. T. N. 11. S. R. S. 6. W.
West	On a true line between Sec. 23. & 26. T. N. 11. S. R. S. 6. W.
40.00	Set a post for the cor. of 1/4 Sec. from which a Sugar 15. in diam. bears N 78. W. 19. links dist. and a Buck 10 " " " S. 50. E. 7. " "
80.00	Set a post for the cor. of Sec. 22. & 23. 26. & 27. from which a Buck 15. in diam. bears N 61. E. 24. links dist. & a Sto 18. " " " S. 22. W. 27. " " Land flat & met. Timber. Buck. & Oak.
North	Between Sec. 22. & 23. T. N. 11. S. R. S. 6. W.
40.00	Set a post for the cor. of 1/4 Sec. from which a Hickory 18. in diam. bears S. 10. W. 46. links dist. & a W. Oak 20. " " " N 10. E. 40. " "
80.00	Set a temp <sup>l</sup> post for the cor. of Sec. 14. 15. 22. & 23. Land flat & met. Timber, Oak. & Hickory Buck. &c.



## T. St 11. St. Co. St. Co. M. 2nd Men Ind.

East	On a Random line between Sec. 14 & 23 T. 11. St. Co. M.
West	On the true line between Sec. 14 & 23. T. 11. St. Co. M.
40.00	Get a spot for the cor. of 1/4 Sec. from which a Buck 18. in diam. bears S. 30. E. 28. links dist. do Do 12. " " " N 35. W. 31. " "
80.00	Get a spot for the cor. of Sec. 14. 15. 22. & 23. from which a Buck 18. in diam. bears S. 82. W. 8. links dist. do Do. 18. " " " N 22. E. 21. " " Land met. Timber. Oak. &c.
North	Between Sec. 14 & 15. T. St 11. St. Co. St. Co. M.
38.00	To a Buck 15. links wide, course S. E.
40.00	Get a spot for the cor. of 1/4 Sec. from which a Maple 20 in diam. bears South of the met. for & Ash 10. in diam. bears West 13. links dist.
80.00	Get a temporary spot for the cor. of Sec. 10. 11. 14. & 15. Land on this side is flat & met. Timber, Oak, Poplar, Buck &c.
East	On a Random line between Sec. 11. & 14. T. 11. St. Co. M.
West	On the true line between Sec. 11. & 14. T. 11. St. Co. M.
40.00	Get a spot for the cor. of 1/4 Sec. from which a Buck 18. in diam. bears S 77. W. 21. links dist. do Buck 20 " " " N 52. E. 40. " "
80.00	Get a spot for the cor. of Sec. 10 11. 14 & 15. from which a W Oak 24 in diam. bears S. 48. E. 22. links dist. do Hickory 20. " " " S. 77. W. 46. " " Land flat. Timber. Oak & Buck
North	Between Sec. 10. & 11. T. St 11. St. Co. St. Co. M.
40.00	Get a spot for the cor. of 1/4 Sec. from which a Buck 20. in diam. bears S. 30. E. 22. links dist. do Do 18. " " " N 43. W. 25. " "

T. N 11. S. R. S. 6. M. 2<sup>nd</sup> Mer. Ind.

197

62. 00	To a M Oak 18. in diam. stands in the line
80. 00	Get a temp. spot for the cor. of Sec. 2, 3, 10. & 11. Land & Timber same as in the last mile.
East	On a Random line between Sec. 2. & 11. T. N 11. S. R. S. 6. M.
West	On a true line between Sec. 2. & 11. T. N 11. S. R. S. 6. M.
40. 00	Get a spot for the cor. of 1/4 Sec. Gum which a Buck 18. in diam. bears S. 28. E. 24. links dist. & Gum 15. " " " N 53. W. 15. " "
80. 00	Get a spot for the cor. of Sec. 2, 3, 10. & 11. Gum which a M. Oak 36. in diam. bears S. 48. E. 31. links dist. & " S. 24. " " " N 15. E. 28. " " Land flat & wet. Timber Oak & Buck.
North	Between Sec. 2 & 3. T. N 11. S. R. S. 6. M.
40. 00	Get a spot for the cor. of 1/4 Sec. Gum which a Buck 20. in diam. bears S. 4. W. 20. links dist. & Maple 22. " " " East 25. " "
56. 00	To a M. Oak 20 in diam. stands in the line
84. 00	Intersect the N. Boundary & fell 400. links West of the spot cor. of Sec. 34. & 35. T. 12. S. R. S. 6. M. & set a spot for the cor. of Sec. 2 & 3. Gum which a Gum 20 in diam. bears N. 44. W. 18. links dist. & S. 18. " " " S. 28. E. 40. " " Land & Timber same as in the last mile
North	Between Sec. 33. & 34. T. N 11. S. R. S. 6. M. This line is not run in account of a large deep Swamp. which appears to extend the whole mile, I therefore run
West	Between Sec. 27. & 34. T. N 11. S. R. S. 6. M.
40. 00	Get a spot for the cor. of 1/4 Sec. Gum which a Maple 10. in diam. bears S. 5. E. 10. links dist.

## T. N. 11. N. 16. N. 6. W. 2nd Mer. Ind.

Maple 8. in diam. bears West 6. links dist.  
 Continued through swampy land  
 80.00 Got a spot for the cor. of Sec. 27. 28. 33. & 34 from which  
 a B. Jack 12. in diam. bears N 73. W. 11. links dist. La  
 " Do 20. " " " S. 20. E. 14. " "  
 The land so flat & wet. I so overflooded that we  
 could run neither West or South.

North Between Sec. 27. & 28. T. N. 11. N. 16. N. 6. W.  
 40.00 Got a spot for the cor. of 14 Sec. from which a  
 B. Oak 15. in diam. bears East 14. links dist. La  
 " Do 12. " " " West 9. " "  
 80.00 Got a temp. spot cor. of Sec. 21. 22. 27. & 28.  
 Land flat & wet. Timbers. Oak. Maple & Hickory.

East On a Random line between Sec. 22. & 27. T. 11. N. 16. W.

West On the true line between Sec. 22. & 27. T. N. 11. N. 16. W.  
 40.00 Got a spot for the cor. of 14 Sec. from which a  
 Sugar 20. in diam. bears S. 85. E. 40. links dist. La  
 Buck 9. " " " - N 76. W. 11. " "  
 80.00 Got a spot for the cor. of Sec. 21. 22. 27. & 28. from which  
 a W. Oak 12. in diam. bears S. 45. E. 24. links dist. La  
 " Do 15. " " " N 73. W. 27. " "  
 Land wet & flat Timber. Oak. & Hickory.

North Between Sec. 21. & 22. T. 11. N. 16. W. Apr. 12<sup>th</sup> 1814  
 40.00 Got a spot for the cor. of 14 Sec. from which a  
 Hickory 20. in diam. bears S. 32. W. 27. links dist. La  
 " Do 15. " " " N 20. E. 16. " "  
 57. 50 To a W. Oak 24. in diam. stands in the line  
 80.00 Got a temp. spot for the cor. of Sec. 15. 16. 21. & 22.  
 Land on this mile is wet & flat. Timber. Oak & Hickory.

East	On a Random line between Sec. 15. & 22. T. 11. S. R. 6. M.
West	On the true line between Sec. 15. & 22. T. 11. S. R. 6. M.
40.00	Set a post for the cor. of $\frac{1}{4}$ Sec. Gum which a Hickory 15. in diam. bears S. 25. E. 24. links dist. da
	Buck 18. " " " N 46. M. 30. " "
80.00	Set a post for the cor. of Sec. 15. 16. 21 & 22. Gum which a Buck 18. in diam. bears N 75. M. 3. links dist. da
	M. Oak 15 " " " S. 73. E. 40. " "
	Land flat & met Timber. Buck. & Oak.
North	Between Sec. 15. & 16. T. N. 11. S. R. S. 6. M. 2 <sup>nd</sup> Mer.
40.00	Set a post for the cor. of $\frac{1}{4}$ Sec. Gum which a Sugar 12. in diam. bears N 25. M. 19. links dist. da
	M. Oak 24. " " " S. 26. E. 46 " "
61.00	Set a Buck 20. in diam. bears in the line.
80.00	Set a temp. <sup>l</sup> post for the cor. of Sec. 9. 10. 15. & 16. Land on this side is flat. Timber. Oak. Buck & Hick. <sup>e</sup>
East	On a Random line between Sec. 10. & 15. T. 11. S. R. S. 6. M.
West	On the true line between Sec. 10. & 15. T. N. 11. S. R. 6. M.
40.00	Set a post for the cor. of $\frac{1}{4}$ Sec. Gum which a M. Oak 12. in diam. bears S. 45. M. 15. links dist. da
	Buck 20. " " " N 40. M. 20. " "
56.00	Set a Buck 15. links wide; across Buck
80.00	Set a post for the cor. of Sec. 9. 10. 15. & 16. Gum which a B. Oak 18. in diam. bears S. 78. M. 55. links dist. da
	Poplar 20 " " " N 28. E. 35. " "
	Land level & flat. Timber. Oak. Poplar. & Buck.
North	Between Sec. 9. & 10. T. N. 11. S. R. S. 6. M.
18.50	Set a M. Oak 24. in diam. stands in the line.
110.00	Set a post for the cor. of $\frac{1}{4}$ Sec. Gum which a



200)

T. N 11. S R. S 6. M. 2nd Mer. Ind.

80.00 M. Oak 20. in diam. bears S 45. E. 13. links dist. de  
 Gum 18. " " " S 78. M. 39. " "  
 Set a dump<sup>st</sup> post for the cor. of Sec. 3. 4. 9. & 10.  
 Land on this mile pretty good. Timber same as in the last mile

East On a Random line between Sec. 3 & 10. T. N 11. S R. S 6. M.

West 40.00 On the true line between Sec. 3 & 10. T. N 11. S R. S 6. M.  
 Set a post for the cor. of  $\frac{1}{4}$  Sec. from which an  
 Ash 24. in diam. bears S 30. E. 4. links dist. de  
 S 12. " " " S. 5. M. 44. " "

80.00 Set a post for the cor. of Sec. 3. 4. 9. & 10. from which a  
 B. Oak 18. in diam. bears S 72. M. 24. links dist. de  
 Poplar 6. " " " S 64. E. 24. " "  
 Land & Timber same as in the last mile, but rather broken

North Between Sec. 3. & 4. T. N 11. S R. S 6. M.

40.00 Set a post for the cor. of  $\frac{1}{4}$  Sec. from which a  
 Buck 16. in diam. bears. S 76. E. 35. links dist. de  
 M. Oak 24. " " " West 12. " "

84.00 Intersect the North Boundary of Cell <sup>400</sup> links West of the  
 post cor. of Sec. 33. & 34. T. 12. S R. S 6. M. set a  
 post for the cor. of Sec. 3. & 4. from which a  
 Poplar 24. in diam. bears S 62. M. 15. links dist. de  
 Buck 15. " " " S 82. M. 29. " "

Land & Timber same as in the last mile  
 The land on the North Boundary near the River  
 being too swampy to survey. The agew. at the post  
 cor. of Sec. 21. 22. 27. & 28.

West Between Sec. 21. & 28. T. N 11. S R. S 6. M.

40.00 Set a post for the cor. of  $\frac{1}{4}$  Sec. from which an  
 B. Oak 24. in diam. bears S 38. E. 44. links dist. de  
 Birch - " " " S 57. M. 43. " "



## T. N 11. S. R. N 6. M. 2nd Mer. Ind.

80.00 Set a post for the cor. of Sec. 20. 21. 28. & 29. from which a  
Buck 24. in diam. bears N 82. E. 7. links dist. de  
M. Oak 9. " " S. 75. W. 26. " "  
Land is met & flat. Timber Oak. Buck. Sugar. Hickory. de

South Between Sec. 28. & 29. T. N 11. S. R. N 6. M. Apr. 13. 1814.

140.00 Set a post for the cor. of 1/4 Sec. from which a  
M. Oak. 36. in diam. bears S. 20. E. 48. links dist. de  
Hickory 15. " " " S. 75. W. 25. " "

56.00 To a M. Oak 24. in diam. stands in the line

80.00 Set a post for the cor. of Sec. 28. 29. 32. & 33. from which a  
Sugar 15. in diam. bears N 15. W. 26. links dist. de  
Hick. 12. " " " S. 25. E. 24. " "  
Land on this line is met Timber Oak. Hickory Elm de.

South Between Sec. 32. & 33. T. N 11. S. R. N 6. M.

10.00 The land is overflooded with water that I did not continue the  
line any further, I then returned & run East

East Between Sec. 28. & 33. T. N 11. S. R. N 6. M.

30.00 To the Swamp.

South Between Sec. 20 & 21. T. N 11. S. R. N 6. M.

40.00 Set a post for the cor. of 1/4 Sec. from which a  
Buck 12. in diam. bears N 77. W. 28. links dist. de  
M 12. " " " S. 48. E. 35. " "

80.00 Set a temp. post cor. of Sec. 16. 17. 20. & 21.  
Land met Timber on this side Oak, Hickory, Buck. de

East On a Random line between Sec. 16 & 21. T. N 11. S. R. N 6. M.

West On the true line between Sec. 16 & 21. T. N 11. S. R. N 6. M.

40.00 Set a post for the cor. of 1/4 Sec. from which a  
Buck 24. in diam. bears N 57. E. 48. links dist. de  
M 12. " " " S. 45. W. 29. " "

T. N. 11. S. R. N. 6. M. 2<sup>nd</sup> Mer. Ind.

80.00 Buck 12. in diam. bears S 45. M. 29. links dist.  
 Get a post for the cor. of Sec. 16. 17. 20. & 21. from which a  
 Hickory 24 in diam. bears S 20. M. 6. links dist. &  
 Do 12. " " " S 10. E. 34. " "  
 The land on this mile is good. Timber Oak, Sugar. Buck &c.

North  
 40.00 Between Sec. 16. & 17. T. N. 11. S. R. N. 6. M.  
 Get a post for the cor. of 1/4 Sec. from which a  
 Buck 20. in diam. bears West 34. links dist. and a  
 Sugar 12. " " " S 82. E. 30. " "  
 80.00 Get a temp<sup>l</sup> post for the cor. of Sec. 8. 9. 16. & 17.  
 Land & Timber same as on the last mile.

East On a Random line between Sec. 9. & 16. T. 11. S. R. 6. M.

West  
 40.00 On the true line between Sec. 9. & 16. T. 11. S. R. 6. M.  
 Get a post for the cor. of 1/4 Sec. from which a  
 Buck 18 in diam. bears S 73. E. 23. links dist. & an  
 Ash 10. " " " S 58. M. 24. " "  
 80.00 Get a post for the cor. of Sec. 8. 9. 16. & 17. from which a  
 Gum 9. in diam. bears S 79. E. 2 1/2 links dist. & an  
 Elm 12. " " " S 65. M. 32. " "  
 Land level; Timber Oak, Buck. &c.

North  
 40.00 Between Sec. 8. & 9. T. N. 11. S. R. N. 6. M.  
 Get a post for the cor. of 1/4 Sec. from which a  
 Poplar 20. in diam. bears S 57. M. 36. links dist. & a  
 Walnut 12. " " " S. 20. E. 4. " "  
 80.00 Get a temporary post for the cor. of Sec. 4. 5. 8 & 9.  
 Land on this mile is good. Timber Oak. Ash Poplar &c.

East On a Random line between Sec. 4. & 9. T. 11. S. R. 6. M.

West On the true line between Sec. 4. & 9. T. 11. S. R. N. 6. M.

T. N. 11. N. R. N. 6. W. 2<sup>nd</sup> Mer. Indiana

40 00	Set a post for the cor. of $\frac{1}{4}$ Sec. from which a Buck 12. in diam. bears S. 5. W. 8. links dist. & a No. 15. " " " N 15. E. 10. " "
80 00	Set a post for the cor. of Sec. 4. 5. 6. & 9. from which a Buck 12. in diam. bears N 60. E. 6. links dist. & a No. 18. " " " S. 5 1/2. W. 37. " " Land pretty good. Timber Oak. Buck. &c.
North	Between Sec. 4. & 5. T. N. 11. N. R. N. 6. W.
40 00	Set a post for the cor. of $\frac{1}{4}$ Sec. from which a Bum 15. in diam. bears S. 20. W. 24 links dist. & a Ash 6. " " " North 33. " "
55. 00	Set a Poplar 36. in diam. stands in the line
84. 00	Intersect the North Boundary & fell 500 links West of the post cor. of Sec. 32. & 33. T. 12. N. R. N. 6. W. & and set a post for the cor. of Sec. 4. & 5. from which a B. Oak 20. in diam. bears S. 62. E. 25. links dist. & a Hickory 10. " " " S. 79. W. 28. " " Land & Timber same as in the last mile.
North	Between Sec. 31. & 32. T. N. 11. N. R. N. 6. W.
40. 00	Set a post for the cor. of $\frac{1}{4}$ Sec. from which a Hickory 12. in diam. bears S. 76. W. 33. links dist. and a Bum 8. " " " N 76. E. 14. " "
80. 00	Set a temp <sup>l</sup> post for the cor. of Sec. 29. 30. 31. & 32. Land on this mile is flat. Timber Oak. & Hickory Elm. Ash.
East	On a Random line between Sec. 29. & 32. T. 11. N. R. N. 6. W.
West	On the true line between Sec. 29. & 32. T. 11. N. R. N. 6. W.
40. 00	Set a post for the cor. of $\frac{1}{4}$ Sec. from which a W. Oak. 18. in diam. bears S. 86. E. 18. links dist. and a Box Elder 9. in " " S. 87. W. 29. " "
80. 00	Set a post for the cor. of Sec. 29. 30. 31. & 32. from which a

T. N. 11. S. R. 6. M. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

W. Oak 24. in diam. bears N 52. E. 6. links dist. &  
 " 36. " " " N 74. W 20 " "  
 Land wet & swampy Timber same as on the last mile

West Between Sec. 30. & 31. T. 11. S. R. 6. M.  
 40.00 Get a spot for the cor. of 1/4 Sec. from which a  
 W. Oak 12. in diam. bears N 74. W 30. links dist. &  
 Hickory 12. " " " N 65. W 16. " "  
 72.50 Intersect the West Boundary & fall 200. links South of  
 the spot cor. of Sec. 25. & 36. T. 11. S. R. 6. M. set  
 a spot for the cor. of Sec. 30. & 31. from which a  
 W. Oak 24. in diam. bears N 78. E. 21. links dist. & an  
 Elm 12. " " " S. 20. E. 26. " "  
 On this mile the land is muddling good; Timber - Oak  
 Sugar. Hickory Birch. &c. &c.

North Between Sec. 29. & 30. T. 11. S. R. 6. M.  
 40.00 Get a spot for the cor. of 1/4 Sec. from which a  
 Poplar 30. in diam. bears N 72. W 42. links dist. &  
 Hickory 12. " " " N 83. E. 60. " "  
 80.00 Get a temporary spot cor. of Sec. 19. 20. 29. & 30.  
 Land same as on the last mile. Timber Oak & Hickory.

East On a Random line between Sec. 20. & 29. T. 11. S. R. 6. M.  
 West On the true line between Sec. 30. & 29. T. 11. S. R. 6. M.  
 40.00 Get a spot for the cor. of 1/4 Sec. from which a  
 W. Oak 24. in diam. bears N 36. W 33. links dist. &  
 Hickory 12. " " " S. 25. E. 13. " "  
 80.00 Get a spot for the cor. of Sec. 19. 20. 29. & 30. from which  
 a Hickory 30. in diam. bears N 54. E. 35. links dist. &  
 Poplar 20. " " " S. 20. W 32. " "  
 Land is flat & wet; Timber. Oak. & Hickory

West Between Sec. 19. & 30. T. 11. S. R. 6. M. 2<sup>nd</sup> Mer.



## T. N. 11. S. R. S. C. M. 2nd Mer. Ind.

40.00	Set a post for the cor. of 1/4 Sec. from which a Mt. Oak 40. in diam. bears S. 38. E. 24. links dist. & Beech 24. " " " N. 10. W. 49. " "
71. 00	Intersect the West Boundary & fell 200. links South of the post cor. of Sec. 24. & 25. T. N. 11. S. R. S. C. M. Set a post for the cor. of Sec. 19. & 20. from which a Mt. Oak 18. in diam. bears N. 37. E. 5. links dist. & Beech 12. " " " South 8. " " Land same as on the last mile; Timber Mt. Oak. Beech. & Hickory.
North 40.00	Between Sec. 19. & 20. T. N. 11. S. R. S. C. M. Set a post for the cor. of 1/4 Sec. from which a Hickory 24. in diam. bears N. 6. W. 25. links dist. & an Ash 12. " " " S. 23. E. 40. " "
80.00	Set a temp. <sup>ly</sup> post cor. of Sec. 17. 18. 19. & 20. Land on this mile is level & met. Timber Oak & Hickory. April 15 <sup>th</sup> 1814.
East	On a Boundary line between Sec. 17. & 20. T. N. 11. S. R. S. C. M.
West 40.00	On a true line between Sec. 17. & 20. T. N. 11. S. R. S. C. M. Set a post for the cor. of 1/4 Sec. from which a Hickory 9. in diam. bears N. 78. E. 16. links dist. & Do 6. " " " South 19. " "
80.00	Set a post for the cor. of Sec. 17. 18. 19. & 20. from which a Mt. Oak 24. in diam. bears S. 24. E. 22. links dist. and a " Do 30. " " " N. 32. W. 27. " " Ground middling good. Timber Oak, Beech, Sugar, Poplar, &c.
West 40.00	Between Sec. 18. & 19. T. N. 11. S. R. S. C. M. Set a post for the cor. of 1/4 Sec. from which a Beech 30. in diam. bears N. 84. E. 22. links dist. and a Hickory 9. " " " S. 31. W. 28. " "
70.00	Intersect the West Boundary & fell 200. links South of.



## T. N. 11. S. R. 16. S. 6. W. 2nd Mer. Ind.

the post cor of Sec. 13. & 24. T. N. 11. S. R. 16. S. 6. W. I set  
a post for the cor. of Sec. 18. & 19. from which an  
Elm 9. in diam. bears S 65. W. 25. links dist. & a  
Buck 15. " " " S. 76. E. 20. " "  
Land in this mile is flat & wet. Timber. Oak. Buck. & Elm.

North Between Sec. 17. & 18. T. N. 11. S. R. 16. S. 6. W.  
14. 50 To a B. Oak 36. in diam. stands in the line  
40. 00 Set a post for the cor. of  $\frac{1}{4}$  Sec. from which a  
Buck 20. in diam. bears S 36. W. 21. links dist. & an  
Elm 15. " " " S. 60. E. 25. " "  
80. 00 Set a temp. post for the cor. of Sec. 7. 8. 17. & 18.  
Land & Timber same as on the last mile.

East On the Random line between Sec. 8. & 17. T. N. 11. S. R. 16. S. 6. W.

West On the true line between Sec. 8. & 17. T. N. 11. S. R. 16. S. 6. W.  
10. 00 Set a post for the cor. of  $\frac{1}{4}$  Sec. from which a  
Buck 24. in diam. bears S 85. W. 14. links dist. & a  
B. Oak 24. " " " East 30. " "  
80. 00 Set a post for the cor. of Sec. 7. 8. 17. & 18. from which  
a Poplar 15. in diam. bears S 45. W. 4. links dist. & an  
Elm 9. " " " S 65. E. 40. " "  
Land wet & flat Timber. Oak. Buck. & Elm.

West Between Sec. 7. & 18. T. N. 11. S. R. 16. S. 6. W.  
22. 00 To a brush 60. links wide; course S. W.  
27. 00 " " " " " " " S. W.  
40. 00 Set a post for the cor. of  $\frac{1}{4}$  Sec. from which a  
Sugar 24. in diam. bears S 56. W. 22. links dist. & a  
S. 12. " " " S. 34. E. 12. " "  
41. 00 To a brush - links wide; course S. W.  
69. 00 Intersect the West Boundary & fall 150. links South of  
the post for the cor. of Sec. 12. & 13. T. N. 11. S. R. 16. S. 6. W.

and set a post for the cor. of Sec. 7. & 18. Gum which a  
 Gum 10. in diam. bears S. 83. E. 32. links dist. & a  
 Hickory 15. " " " N 47. W. 26. " "

This mile the land is met Bottom Timber. Elm. Oak. Hickory &c.

North	Between Sec. 7. & 8. T. N. 11. S. R. N. 6. W.
9. 00	To a corner 60. links wide: course S. W.
12. 00	To a Poplar 24. in diam. stands in the line
17. 00	To a corner - links wide: course S. E.
21. 00	To a corner " " " S. W. April 16. 1814.
40. 00	Set a post for the cor. of 1/4 Sec. Gum which a W. Oak 6. in diam. bears S. 5. W. 10. links dist. & a Maple 15. " " " N 30. E. 15. " "
80. 00	Set a temp. post for the cor. of Sec. 5. 6. 7. & 8. Land flat & met. Timber. same as in the last mile.

East	On a Random line between Sec. 5. & 8. T. N. 11. S. R. N. 6. W.
West	On a true line between Sec. 5. & 8. T. N. 11. S. R. N. 6. W.
40. 00	Set a post for the cor. of 1/4 Sec. Gum which a W. Oak 12. in diam. bears S. 5. E. 17. links dist. & a " No 10. " " " N 20. E. 25. " "
52. 50	To a corner 55. links wide: course South.
80. 00	Set a post for the cor. of Sec. 5. 6. 7. & 8. Gum which a Gum 5. in diam. bears East 15. links dist. & a Hickory 24. in " " West 10. " " Land and Timber. same as in the last mile. April 17. 1814.

West	Between Sec. 6. & 7. T. N. 11. S. R. N. 6. W.
40. 00	Set a post for the cor. of 1/4 Sec. Gum which a B. Oak 24. in diam. bears S. 20. E. 55. links dist. & a " No 24. " " " N 76. E. 56. " "
69. 00	Intersect the West Boundary & fell 100. links South of the

T. N<sup>o</sup> 11. N. B. N. 6. M. 2<sup>nd</sup> Mer. Ind.

Spot cor. of Sec. 1. & 12. T. N<sup>o</sup> 11. N. B. N. 6. M. I set a  
 Spot for the cor. of Sec. 6 & 7. From which an  
 Elm 18 in diam. bears S 73. M. 39. links dist. &c  
 S. 10. " " " S. 80. E. 28. " "  
 This mile is scrubby Oak & Hickory Land.

North Between Sec. 5. & 6. T. N<sup>o</sup> 11. N. B. N. 6. M.  
 40.00 Set a Spot for the cor. of 1/4 Sec. From which a  
 Hickory 9 in diam. bears N 85. E. 25. links dist. &c  
 M. Oak 18. " " " N 87. M. 23. " "  
 64.50 To a M. Oak 20 in diam. stands in the line  
 84.00 Intersect the North Boundary & fell 400 links West of  
 the Spot cor. of Sec. 31. & 32. T. N<sup>o</sup> 12. N. B. N. 6. M.  
 I set a Spot for the cor. of Sec. 5. & 6. From which a  
 Hickory 12 in diam. bears S. 25. E. 31. links dist. &c  
 Hickory 8. " " " N 15. M. 55. " "  
 This mile is Prairie & open woods. Timber scrubby  
 Oak. Hickory &c. &c.

Surveyed by  
 Samuel Holmes, L.S.

I certify that the foregoing Transcript of the field  
 notes of T. N<sup>o</sup> 11. N. B. N. 6. M. of the 2<sup>nd</sup> Mer.  
 in Indiana has been compared with the original  
 notes in the Office & found to be correct  
 Sur<sup>r</sup>. General's Office,  
 Cincinnati, June 23. 1841

E. S. Holmes  
 Sur. Genl.